

Certificate of Analysis



Client:
Peptide Partners

Laboratory:
TrustPointe Analytics LLC
1743 142nd Ave Suite 4
Dorr, MI 49323



Verify at TrustPointeLIMS.com
Key=KVQD67BFKYKQ

Sample Information

Sample Name	Benzyl Alcohol 0.9%, 3 vials	Client SID	BAC2611	Published	2026-09-10 12:36
--------------------	------------------------------	-------------------	---------	------------------	------------------

Results

Sample IDs	SPL-4892	SPL-4892-S01	SPL-4892-S02
TM-1013 Benzyl Alcohol ID by RT	1.00	1.00	1.00
TM-1013 Benzyl Alcohol ID by Spectral	1000	1000	1000
TM-1013 Benzyl Alcohol Purity	94.930 %	94.988 %	95.960 %
TM-1013 Coelution Control	996	996	995
TM-1013 System Suitability	0.1 %RSD	0.1 %RSD	0.1 %RSD
TM-1013 Benzyl Alcohol Assay	0.94 %	0.92 %	1.06 %

Comments for SPL-4892

General

Purity Note: Peak present at approximately 10.1min is consistent with RRT of Benzaldehyde on this method (4.537%, 4.696%, 3.710%). Benzaldehyde, a known UV-light degradation product of benzyl alcohol, indicates partial photo-degradation consistent with UV exposure during handling or storage.

Approvals

Created by

A. Lust

Ashlee Lust
President

Reviewed by

PL 3.2

Joshua Lust
Managing Director

Attachments for SPL-4892



Attachment for SPL-4892
Filename: SPL-4892.png