Certificate of Analysis

Client:
Peptide Partners

Laboratory:
TrustPointe Analytics LLC
1743 142nd Ave Suite 4
Dorr, MI 49323

Verify at TrustPointeLIMS.com
Key=7F2UA89UN6CK

Sample Information

Sample Name	MOTS-c 10mg, 5 vials, RUSH	**Client SID**	MC2614U	**Published**	2026-09-02 20:55

Results

Sample IDs	SPL-4795	SPL-4795-S01	SPL-4795-S02	SPL-4795-S03	SPL-4795-S04
TM-1019 MOTS-c Assay	10.128 *mg*	10.552 *mg*	10.326 *mg*	10.475 *mg*	10.150 *mg*
TM-1019 MOTS-c Purity	99.806 *%*	99.824 *%*	99.807 *%*	99.802 *%*	99.842 *%*
TM-1019 ID by Spectral	1000	1000	1000	1000	1000
TM-1019 MOTS-c ID by RT	1.00	1.00	1.00	1.00	1.00
TM-1019 Coelution Control	1000	1000	1000	1000	1000
TM-1019 System Suitability	0.2 *%RSD*	0.2 *%RSD*	0.2 *%RSD*	0.2 *%RSD*	0.2 *%RSD*

Approvals


Created by

Ashlee Lust
President

Reviewed by

Joshua Lust
Managing Director

Attachments for SPL-4795



Attachment for SPL-4795
Filename: SPL-4795.png