

Certificate of Analysis



Client:
Peptide Partners

Laboratory:
TrustPointe Analytics LLC
1743 142nd Ave Suite 4
Dorr, MI 49323



Verify at TrustPointeLIMS.com
Key=9DDRGKJMEHQ6

Sample Information

Sample Name	Benzyl Alcohol 0.9%, 3 vials	Client SID	BAC2608	Published	2026-08-14 15:09
--------------------	------------------------------	-------------------	---------	------------------	------------------

Results

Sample IDs	SPL-4644-R01	SPL-4644-R01-S01	SPL-4644-R01-S02
TM-1013 Benzyl Alcohol ID by RT	1.00	1.00	1.00
TM-1013 Benzyl Alcohol ID by Spectral	1000	1000	1000
TM-1013 Benzyl Alcohol Purity	92.801 %	92.284 %	92.735 %
TM-1013 Coelution Control	996	996	996
TM-1013 System Suitability	0.2 %RSD	0.2 %RSD	0.2 %RSD
TM-1013 Benzyl Alcohol Assay	0.93 %	0.93 %	0.93 %

Comments for SPL-4644-R01

General

Purity Note: Peak present at 10.042min, 10.054min, 10.083min is consistent with RRT of Benzaldehyde on this method (6.973%, 7.447%, 7.026%). Benzaldehyde, a known UV-light degradation product of benzyl alcohol, indicates partial photo-degradation consistent with UV exposure during handling or storage.

Approvals

Created by

A. Lust

Ashlee Lust
President

Reviewed by

PL 3.2

Joshua Lust
Managing Director

Attachments for SPL-4644-R01



Attachment for SPL-4644-R01
Filename: SPL-4644.png