

Client: Peptide Partners

Certified: 07/31/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	Glow	Form	Lyophilized Powder
Batch	GW2608	Labeled Qty	70 mg
Cap Color	Red	Crimp Color	Silver

TEST RESULTS

	REFERENCE STANDARD	RESULT
Blend Avg Purity	(>98%)	99.642%
Blend Avg Net Content	(~70mg)	76.80 mg
Blend Identification (LC-MS)	(Glow)	Glow
Endotoxin Safety Screen	(≤0.5 EU/mL)	Pass
14 Day Sterility Screening	(No Growth)	No microbial growth detected

BATCH CONFORMITY RESULTS

Vial	Blend Purity (%)	Blend Net Content (mg)
Vial 1	99.264	77.37
Vial 2	99.891	77.02
Vial 3	99.573	76.96
Vial 4	99.684	75.81
Vial 5	99.797	76.84
Batch Average	99.642%	76.80 mg

BLEND COMPONENT ANALYSIS

Component	Labeled	Measured
BPC-157	10 mg	12.64 mg
TB-500(TB-4)	10 mg	11.54 mg
GHK-Cu	50 mg	53.19 mg

HEAVY METAL SCREENING

Analyte	Result	Status
Arsenic (As)	Negative	
Cadmium (Cd)	Negative	
Lead (Pb)	Negative	
Mercury (Hg)	Negative	

CHROMATOGRAM

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm

