Customer:
Peptide Partners

EA Sample ID: 26EA1110-038
Sample Name: Z's Total B Kit
Sample Type: Liquid
Batch/Lot: ZB2628

Date Received:
11/12/2026
Date Completed:
11/19/2026

ETHOS ANALYTICS

CERTIFICATE OF ANALYSIS

Summary of Results

Analysis Type	Method	Date Tested	Status
Label Claims	HPLC	11/13/2026	Pass
Bacterial Endotoxins	USP <85>	11/19/2026	Pass
Rapid Sterility	qPCR	11/19/2026	Pass
Heavy Metals	ICP-MS	11/15/2026	Pass
Microbiological	Petrifilm/qPCR	11/15/2026	Pass
Fentanyl	USP <2251>	11/13/2026	Pass



Serving Size: N/A

Label Claim Profile

Analyte	Result	Specification	LOD
Vitamin B1 (Thiamine Hydrochloride)	104.32mg/ml	Report Only	0.01%
Vitamin B2 (Riboflavin-5-Phosphate)	2.09mg/ml	Report Only	0.01%
Vitamin B3 (Niacin)	21.13mg/ml	Report Only	0.01%
Vitamin B3 (Niacinamide)	83.96mg/ml	Report Only	0.01%
Vitamin B5 (Dexpanthenol)	266.47mg/ml	Report Only	0.01%
Vitamin B6 (Pyridoxine HCl)	55.29mg/ml	Report Only	0.01%
Vitamin B7 (Biotin)	10.22mg/ml	Report Only	0.01%
Vitamin B9 (5-Methyltetrahydrofolate)	16.07mg/ml	Report Only	0.01%
Vitamin B12 (Methylcobalamin)	1.21mg/ml	Report Only	0.01%
Identity of analytes was confirmed by retention time concordance with a certified reference standard, per USP <621>.			
Bacterial Endotoxins (Gel-Clot: 1:10 Dilution)	<1.25 EU/ml	<5 EU/ml	λ = 0.125 EU/mL
Rapid Sterility (Real-Time qPCR) **Validated per USP <1223> in lieu of USP <71>**	No Microbial DNA/RNA Detected (Pass)	No Detection	10 CFU
Fentanyl	Not Detected	<LOD	10ppm

NOTES:

LOD = LIMIT OF DETECTION; LOQ = LIMIT OF QUANTIFICATION

ETHOS ANALYTICS
Ethos Analytics Laboratory
3020 E Camelback Rd STE 397
Phoenix, AZ 85016
Info@Ethosanalytics.io
www.Ethosanalytics.io
Lic #: 000026LRCND60176649
ISO/IEC 17025 Acc #: 117798

Noel Samsum
Laboratory Director
19-Nov-2026

The sample analyzed was inspected and is free from visual mold, mildew, and foreign matter. The testing procedures, equipment calibration, and maintenance are all in accordance with ISO/IEC 17025:2017 standards. The presented report is only applicable to the sample specified above and may not be applied to any similar or identical products. Reports are prohibited from being reproduced with alterations of any kind.

Customer:
Peptide Partners

EA Sample ID: 26EA1110-038
Sample Name: Z's Total B Kit
Sample Type: Liquid
Batch/Lot: ZB2628

Date Received:
11/12/2026
Date Completed:
11/19/2026

ETHOS ANALYTICS

CERTIFICATE OF ANALYSIS

Heavy Metal Analysis (USP <233>)

Analyte	Result (mcg/ml)	LOQ (ppm)	LOD (ppm)	Limit (mcg/ml)	Pass/Fail
Arsenic	<LOQ	0.010	0.005	0.5	Pass
Cadmium	<LOQ	0.010	0.005	0.1	Pass
Lead	0.032	0.010	0.005	0.5	Pass
Mercury	<LOQ	0.010	0.005	0.1	Pass

Microbiological Analysis (USP <61>, USP <62>)

Microbe	Result	Limit	Pass/Fail
Total Aerobic Plate	<10 CFU/g	<100 CFU/g	Pass
Coliform	<10 CFU/g	<10 CFU/g	Pass
Bile-Tolerant Gram-Negative Bacteria	<10 CFU/g	<10 CFU/g	Pass
Yeast and Mold	<10 CFU/g	<10 CFU/g	Pass
Escherichia Coli	Negative/1g	Negative/1g	Pass
Salmonella	Negative/1g	Negative/1g	Pass
Staphylococcus Aureus	Negative/1g	Negative/1g	Pass

NOTES:

CFU = Colony Forming Unit
NS = Not Specified
NT = Not Tested

LOQ = Limit of Quantification
LOD = Limit of Detection

ETHOS ANALYTICS
Ethos Analytics Laboratory
3020 E Camelback Rd STE 397
Phoenix, AZ 85016
Info@Ethosanalytics.io
www.Ethosanalytics.io
Lic #: 000026LRCND60176649
ISO/IEC 17025 Acc #: 117798



Noel Samsum
Laboratory Director
19-Nov-2026

The sample analyzed was inspected and is free from visual mold, mildew, and foreign matter. The testing procedures, equipment calibration, and maintenance are all in accordance with ISO/IEC 17025:2017 standards. The presented report is only applicable to the sample specified above and may not be applied to any similar or identical products. Reports are prohibited from being reproduced with alterations of any kind.