

Client **Peptide Partners**

 Analyzed **04/03/2026**

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

**SAMPLE INFORMATION**

<b>Product</b>	<b>GHK-Cu</b>	<b>Form</b>	<b>Lyophilized powder</b>
<b>Batch</b>	<b>CU202604</b>	<b>Labeled Qty</b>	<b>100mg</b>
<b>Mol. Formula</b>	<b>C14H24N6O4Cu</b>	<b>CAS Number</b>	<b>49557-75-7</b>
<b>Cap Color</b>	<b>Red</b>	<b>Crimp Color</b>	<b>Silver</b>

**TEST RESULTS**


	<b>REFERENCE STANDARD</b>	<b>RESULT</b>
<b>Batch Avg Purity</b>	(>98%)	<b>99.938%</b> ✓
<b>Batch Avg Net Content</b>	(100mg ± 10%)	<b>95.60 mg</b> ✓
<b>Identity Confirmation (LC-MS)</b>	(GHK-Cu)	<b>GHK-Cu</b> ✓
<b>Bacterial Endotoxins (LAL)</b>	(≤ 0.50 EU/mL)	<b>&lt; 0.06 EU/mL</b> ✓
<b>Microbial Sterility Screen</b>	(No Growth)	<b>No Growth</b> ✓

**BATCH CONFORMITY RESULTS**

<b>Vial</b>	<b>Purity (%)</b>	<b>Net Content (mg)</b>
Vial 1	99.953	95.85
Vial 2	99.937	94.13
Vial 3	99.959	95.77
Vial 4	99.953	96.89
Vial 5	99.886	95.35
<b>Batch Average</b>	<b>99.938%</b>	<b>95.60 mg</b>

**CHROMATOGRAM**

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm


  
 Lab Director

[koveralabs.com/verify](https://koveralabs.com/verify)

Report#: KVR-2026-B787A6

Access Code: PUKJQ6Q