

# Certificate of Analysis



Client:  
**Peptide Partners**

Laboratory:  
**TrustPointe Analytics LLC**  
1743 142nd Ave Suite 4  
Dorr, MI 49323



Verify at [TrustPointeLIMS.com](https://TrustPointeLIMS.com)  
Key=AW5JVHZ9W4RN

## Sample Information

**Sample Name** SS-31 10mg, 4 vials RUSH **Client SID** SS202601 **Published** 2026-04-03 19:16

## Results

Sample IDs	SPL-3436-S03	SPL-3436-S02	SPL-3436-S01	SPL-3436
TM-1011 SS-31 Assay	8.949 mg	9.010 mg	9.267 mg	9.660 mg
TM-1011 SS-31 Purity	99.852 %	99.812 %	99.815 %	99.830 %
TM-1011 SS-31 ID by RT	1.00	1.00	1.00	1.00
TM-1011 SS-31 ID by Spectral	1000	1000	1000	1000
TM-1011 Coelution Control	1000	1000	1000	1000
TM-1011 System Suitability	0.5 %RSD	0.5 %RSD	0.5 %RSD	0.5 %RSD

## Approvals


Created by

**Ashlee Lust**  
President

Reviewed by

**Joshua Lust**  
Managing Director

## Attachments for SPL-3436



Attachment for SPL-3436

Filename: SPL-3436.png

