

Certificate of Analysis



Client:
Peptide Partners

Laboratory:
TrustPointe Analytics LLC
1743 142nd Ave Suite 4
Dorr, MI 49323



Verify at TrustPointeLIMS.com
Key=F3DSADZGAJNB

Sample Information

Sample Name	MOTS-c 40mg, 5 vials, RUSH	Client SID	MC2640U	Published	2026-09-02 20:52
--------------------	----------------------------	-------------------	---------	------------------	------------------

Results

Sample IDs	SPL-4781	SPL-4781-S01	SPL-4781-S02	SPL-4781-S03	SPL-4781-S04
TM-1019 MOTS-c Assay	38.048 mg	38.012 mg	38.944 mg	37.192 mg	37.532 mg
TM-1019 MOTS-c Purity	99.873 %	99.866 %	99.826 %	99.823 %	99.880 %
TM-1019 ID by Spectral	1000	1000	1000	1000	1000
TM-1019 MOTS-c ID by RT	1.00	1.00	1.00	1.00	1.00
TM-1019 Coelution Control	1000	1000	1000	1000	1000
TM-1019 System Suitability	0.2 %RSD	0.2 %RSD	0.2 %RSD	0.2 %RSD	0.2 %RSD

Approvals

Created by

Ashlee Lust
President

Reviewed by

Joshua Lust
Managing Director

Attachments for SPL-4781



Attachment for SPL-4781
Filename: SPL-4781.png